

Meeting the Challenges of Exploration Systems: Health Management Technologies for Aerospace Systems With Emphasis on Propulsion

Kevin J. Melcher
Glenn Research Center, Cleveland, Ohio

T. Shane Sowers and William A. Maul
Analex Corporation, Brook Park, Ohio

The NASA STI Program Office . . . in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the Lead Center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:


- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.

- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov>
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at 301-621-0134
- Telephone the NASA Access Help Desk at 301-621-0390
- Write to:
NASA Access Help Desk
NASA Center for Aerospace Information
7121 Standard Drive
Hanover, MD 21076



Meeting the Challenges of Exploration Systems: Health Management Technologies for Aerospace Systems With Emphasis on Propulsion

Kevin J. Melcher
Glenn Research Center, Cleveland, Ohio

T. Shane Sowers and William A. Maul
Analex Corporation, Brook Park, Ohio

Prepared for the
First International Forum on Integrated System Health Engineering
and Management in Aerospace
sponsored by NASA Ames Research Center and NASA Marshall Space Flight Center
Napa, California, November 7–10, 2005

National Aeronautics and
Space Administration

Glenn Research Center

This report is a formal draft or working paper, intended to solicit comments and ideas from a technical peer group.

Trade names or manufacturers' names are used in this report for identification only. This usage does not constitute an official endorsement, either expressed or implied, by the National Aeronautics and Space Administration.

Available from

NASA Center for Aerospace Information
7121 Standard Drive
Hanover, MD 21076

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22100

Available electronically at <http://gltrs.grc.nasa.gov>

Meeting the Challenges of Exploration Systems: Health Management Technologies for Aerospace Systems with Emphasis on Propulsion

Kevin J. Melcher
National Aeronautics and Space Administration
Glenn Research Center
Cleveland, Ohio 44135


T. Shane Sowers and William A. Maul
Analex Corporation
Brook Park, Ohio 44142

Abstract

The constraints of future Exploration Missions will require unique Integrated System Health Management (ISHM) capabilities throughout the mission. An ambitious launch schedule, human-rating requirements, long quiescent periods, limited human access for repair or replacement, and long communication delays, all require an ISHM system that can span distinct, yet interdependent vehicle subsystems, anticipate failure states, provide autonomous remediation and support the Exploration Mission from beginning to end. NASA Glenn Research Center has developed and applied health management system technologies to aerospace propulsion systems for almost two decades. Lessons learned from past activities help define the approach to proper ISHM development:

- Sensor Selection – identifies sensor sets required for accurate health assessment;
- Data Qualification & Validation – ensures the integrity of measurement data from sensor to data system;
- Fault Detection and Isolation – uses measurements in a component/subsystem context to detect faults and identify their point of origin;
- Information Fusion and Diagnostic Decision Criteria – aligns data from similar and disparate sources in time and use that data to perform higher-level system diagnosis;
- Verification & Validation – uses data, real or simulated, to provide variable exposure to the diagnostic system for faults that may only manifest themselves in actual implementation, as well as, faults that are detectable via hardware testing.

This presentation describes a framework for developing health management systems and highlights the health management research activities performed by the Controls and Dynamics Branch at the NASA Glenn Research Center. It illustrates how those activities contribute to the development of solutions for Integrated System Health Management.



Health Management System Development Process

Optimum performance and effectiveness of a health management system (HMS) is achieved when its development coincides with the development of the system whose health it is being tasked to manage. It is much less effective and efficient when it is implemented after the fact.

The chart shown above was developed by the NASA Glenn Controls and Dynamics Branch to describe its process for developing HMSs. In general, the HMS development process requires a thorough understanding of the system being managed. Knowledge acquisition from domain experts is essential in establishing the scope of a HMS. A clear set of system requirements and concept of operations are some of the first essential elements. A Failure Modes and Effects Analysis must be performed to identify the critical faults and document how those faults manifest themselves in the system. Also, when development of a health management is incorporated early in the system design, little, if any, test data is available and a models of the system are essential. These system models must be developed with sufficient detail and complexity so that they provide a sound basis for developing and testing the required health management system.

Focusing on the design requirements for the monitored system, as well as, for the HMS itself, elements of the development process may be identified as follows :

- Sensor Selection
- Data Validation
- Fault Detection
- Fault Isolation
- Information Fusion

Note that clear boundaries between these elements do not necessarily exist. There is some overlap and distinctions between the elements are not always clear. However, it is useful to address technology capabilities and gaps in each of these elements separately. Therefore, in an attempt to discuss the advances required for future exploration missions, the charts that follow describe in more detail each of the HMS elements identified above.

Sensor Selection


Systematic Sensor Selection Strategy

Developed in collaboration with
Christian Brothers University

- Selects sensors (type/location) to optimize the fidelity and response of engine health diagnostics
- Targets high risk engine anomaly types/classes
- Assigns quantitative sensor suite value based on overall risk reduction, diagnostic speed, and probability of correct fault type/class isolation
- Accommodates various types of models/physical inputs
- Uses critical FMEA identified modes and risk assessments
- Considers sensor response and system/signal noise effects
- Accommodates fault scenarios from correlated test data and/or model simulations



RS-84 Boost Stage
Rocket Engine



Glenn Research Center at Lewis Field



Systematic Sensor Selection Strategy

S4 is a model-based procedure for systematically selecting an optimal sensor suite for overall health assessment of a given host system. S4 was developed in collaborative effort by the Controls and Dynamics Branch at NASA GRC and Christian Brothers University. Initial efforts to apply the technology focused on the Rocketdyne RS-83 and RS-84 boost stage liquid rocket engines. This systematic sensor selection strategy identified a minimum suite of 22 sensors (from a candidate set of 59 sensors) that maximize risk reduction potential for the RS-84 engine.

Sensor data are the basis for performance and health assessment of most complex systems. Therefore, careful selection and implementation of sensors is critical to enable high fidelity system health assessment. S4 is designed with these considerations in mind.

S4 can be logically partitioned into three major subdivisions: the knowledge base, the down-select iteration, and the final selection analysis. The knowledge base consists of system design information and heritage experience together with a focus on components with health implications. The sensor suite down-selection identifies a group of sensors that provide good fault detection and isolation for targeted fault scenarios. This process is composed of three basic components: a system health diagnostic model, a merit algorithm, and a selection algorithm. In the final selection analysis, a statistical evaluation algorithm provides the final robustness test for each down-selected sensor suite.

Though this systematic sensor selection process was developed to enhance design phase planning and preparation for in-space propulsion health management, the S4 process can also be applied to a broad range of non-propulsion health management systems (e.g., power, communications) that are part of the Exploration Systems architecture.




Ref: Santi, L.M., Sowers, T.S., Aguilar, R.B., "Optimal Sensor Selection for Health Monitoring Systems", 41st Joint Propulsion Conference and Exhibit, AIAA 2005-4485, July 2005.

Sensor Data Validation

Data Qualification Validation Studio (DQVS™)

*Developed in collaboration with
Expert Microsystems, Inc.*

- Real-time detection of sensor failures and other data anomalies
- Rapid model prototyping enabled by development studio
- Uses analytical redundancy models, statistical limit filters and Bayesian fault decisions
- Provides operating mode partitioning and generalized data interfaces



Glenn Research Center at Lewis Field



Sensor Data Qualification and Validation

Sensor data qualification and validation is the process of analyzing sensor data to insure that it accurately represents the system state being measured. NASA Glenn has developed and implemented a number of sensor qualification and validation technologies, e.g. Neural Networks, Model-Based Analytical Redundancy, Kalman Filters and Wavelets. These methods are used not only to identify hard sensor failures, but also soft sensor failures, such as drift and noise.

Data validation is an important element in the health assessment process. The goals of a sensor validation system are to prevent safety system false alarms, unnecessary shutdowns, or improper system responses by ensuring that automated health management systems “reason” with valid data. Proper fault detection and isolation can only be performed when information provided by the sensors is valid. Therefore, an initial analysis of sensor data to filter beyond simple off-scale data is crucial to any HM system performance.

For one such project, NASA Glenn partnered with Aerojet and Expert Microsystems to develop an advanced sensor validation technology that utilized a Bayesian Belief network to provide real-time solutions for RS-83 and RS-84 propulsion systems. This technology incorporated the analytical redundancy relationships between all the sensors in the engine to establish a belief network that would identify faulty sensors and a level of confidence of this identification. The result of this effort is contained within a commercially available software suite, The Data Quality Validation Studio™ produced by Expert Microsystems, Inc. NASA Glenn’s Controls and Dynamics Branch supported the development and gained expertise in the use of the software by providing space shuttle main engine domain expertise, models for sensor relationships, and by conducting validation testing of the new sensor failure detection algorithms.


Data validation is vital for any system that relies solely on sensor information to evaluate system performance and to assess system health. For Exploration Systems Missions where automation and remediation are based exclusively on sensor data and limited human input, advancement of these technologies to ensure optimum implementation, development and certification is required.

Ref: Bickford, R. L., et al., “Real-Time Flight Data Validation for Rocket Engines”, 32rd Joint Propulsion Conference, AIAA/ASME/SAE/ASEE, 96-2827, July 1996..


Fault Detection and Isolation

Real-Time and Post-Test Diagnostic System

Inverse Model for Fault Detection and Isolation *Developed in collaboration with Christian Brothers University*



- Model-based approach suitable for general system application
- Supports real-time and post-test diagnostic requirements
- Provides fault class (component/LRU/response group) isolation capability with compatible sensor suites
- Utilizes engine image model at complexity level consistent with real-time diagnostic constraint
- Accommodates control effects and low order fault dynamics



Glenn Research Center at Lewis Field



Model Inversion for Fault Detection and Isolation

Model inversion is the process whereby system states are identified from measurement values rather than the converse which is typical of the modeling process. An inverse model for fault detection and isolation in rocket engines was developed collaboratively by NASA Glenn's Controls and Dynamics Branch and Christian Brothers University as part of a health management system for NASA's Next Generation Launch Technology program. The inverse model framework is a component of the Systematic Sensor Selection Strategy (S4) mentioned previously.

The algorithms that effect inversion are referred to as inverse models (IM). The core of any inverse model is a parameter optimization algorithm whose function is to determine component performance that best reconcile system model prediction and observation. Diagnosis of system condition and conclusions related to health status are inferred from the magnitude and/or variance of health parameter excursions from the accepted norm. Most common model-based techniques that assign health status to parameter state estimates can be classified within the inverse model framework. This would include the broad class of influence methods as well as state space techniques and various hybrid model-based strategies.

An inverse model may be constructed to accommodate system nonlinearity, system dynamic response, and external control inputs at nearly any level of detail required. For each specific application, the appropriate inverse model form is suggested by the trading of diagnostic response time and state discrimination level. It is important to note that the design, maintenance, control, and health monitoring functions can all be supported by inverse models. Therefore the development of a robust inverse model for a given Exploration Systems application will likely support all diagnostic functions at some level.

The reader should note that references on this effort are currently unavailable as reporting of this work is in progress.

Fault Detection and Isolation Real-Time Diagnostic System


Propulsion IVHM Technology Experiment (PITEX)

**GRC-led Developed in collaboration with
Ames Research Center and Kennedy
Space Center**

- Real-Time Diagnosis of Faults
- Inclusion of Real-World Effects
- Demonstrated on Flight-Like Hardware
- Applicable to Relevant Exploration Subsystems



X-34 Reusable Launch Vehicle



Glenn Research Center at Lewis Field




Propulsion IVHM Technology Experiment

The Propulsion IVHM Technology Experiment (PITEX) is a real-time model-based diagnostic system for the main propulsion system of the X-34 reusable launch vehicle, a space-launch technology demonstrator. PITEX was developed by a multi-center team led by NASA Glenn. During development, the Controls and Dynamics Branch was responsible for acquiring knowledge of the system, for developing signal processing algorithms and feed system simulations, for providing failure scenario data, and for conducting extensive testing and evaluation.

PITEX was demonstrated in a simulation-based environment that used detailed models of the propulsion subsystem to generate nominal and failure scenarios during captive carry – the most safety-critical portion of the X-34 flight. Since no system-level testing of the X-34 Main Propulsion System (MPS) was performed, these simulated data were used to verify and validate the software system. Advanced diagnostic and signal processing algorithms were developed and tested in real-time on flight-like hardware. In an attempt to expose potential performance problems, these PITEX algorithms were subject to numerous real-world effects in the simulated data including noise, sensor resolution, command/valve talkback information, and nominal build variations. The current research has demonstrated the potential benefits of model-based diagnostics, defined the performance metrics required to evaluate the diagnostic system, and studied the impact of real-world challenges encountered when monitoring propulsion subsystems.

PITEX has applicability to a wide variety of long duration systems, especially propulsion systems, that are likely to be part of NASA's Exploration Systems Program.

Ref: Maul, W. A., et al, "Addressing the Real-World Challenges in the Development of Propulsion IVHM Technology Experiment (PITEX)", First Intelligent Systems Technical Conference, AIAA, September 2004.



Information Fusion for Extended Gas Path Analysis Capability

Information, or data, fusion is the ability to align data from similar and disparate sources in time and use those data to perform higher-level system diagnosis. In this area, expertise within NASA Glenn's Controls and Dynamics Branch is historically found on the aeronautics, rather than the space, side of the house. Under NASA's Aviation Safety Program, NASA and Pratt & Whitney (P&W) are collaborating to develop Information Fusion technologies.

A wealth of aircraft turbine engine data is available from a variety of sources including on-board sensor measurements, operating histories, and component models. Furthermore, additional data will become available, as advanced prognostic sensors are incorporated into next generation gas turbine engine systems. The challenge is how to maximize the meaningful information extracted from these disparate data sources to obtain enhanced diagnostic and prognostic information regarding the health and condition of the engine.

To address this challenge, NASA and Pratt & Whitney (P&W) have developed a modular hierarchical information fusion architecture. To demonstrate the efficacy of this architecture, a fusion demonstration of two gas path analysis algorithms, the Enhanced Self-Tuning Onboard Real-time Model (eSTORM) and a neural network-based Gas Path Anomaly Detector (GPAD), was performed. The architecture used to fuse these two algorithms is shown above. This fusion allows the system to detect and isolate both sensor and component faults. Furthermore, once a sensor fault is detected, it is accommodated by replacing the faulty physical measurement with an estimated value. This allows the system to continue to accurately estimate component performance even in the presence of a sensor fault.

Data Fusion is an enabling technology for long duration missions where self diagnosis of very complex systems may be the difference between mission success and failure.


Ref: Volponi, Allan J. et al, "Development of an Information Fusion System for Engine Diagnostics and Health Management," Prepared for the 39th Combustion/27th Airbreathing Propulsion/21st Propulsion Systems Hazards/3rd Modeling and Simulation Joint JANNAF Subcommittee Meeting Colorado Springs, Colorado, December 1-5, 2003

Health Management System Verification and Validation

Data Qualification and Validation Test-Bed

Developed by GRC

- Discriminate between sensor faults and anomalous plant states
- Evaluate Performance of DQV Procedures
- Fidelity/timeliness of sensor fault detection capability
- Allows rapid, yet extensive, HMS prototype evaluation
- Flexible framework for evolving needs



Glenn Research Center at Lewis Field




Data Qualification and Validation Test-Bed

On-line data validation, one aspect of system verification and validation, is a performance-enhancing component of modern control and health management systems. It is essential that performance of the data validation system be verified prior to its use in a flight-rated control and health management system. A new Data Qualification and Validation (DQV) Test-Bed application was developed by NASA Glenn's Controls and Dynamics Branch to provide a systematic test environment for this performance verification. The DQV Test-Bed was used to evaluate a model-based data validation package being employed as the data validation component of a rocket engine health management system.

Four major modules compose the test-bed framework. The Test Manager Module defines the test conditions and controls the overall execution of the test sequence. Test data is provided by the Data Source Module. The Data Validation Module manages the system under test (SUT). The Analysis and Reporting Module evaluates the output from the SUT using the known test conditions and generates a series of reports summarizing the results.

The DQV Test-Bed was shown to be an effective tool for reducing development time and providing comprehensive testing of a health monitoring system for the RS-84 propulsion system. It provides an efficient avenue for assessing the strengths and weaknesses of prototype data validation and fault detection systems by improving the understanding of those systems' capabilities and trade-offs. The DQV Test-Bed provides a potentially useful and important element of the necessary infrastructure to iteratively develop and flight-qualify health management systems for NASA Exploration Systems Program.

Ref: Sowers, T.S., Santi, L.M., Bickford, R.L., "Performance Evaluation of a Data Validation System", 41st AIAA/ASME/SAE/ASEE Joint Propulsion Conference and Exhibit, AIAA 2005-4486, July 2005.



Conclusion

The Controls and Dynamics Branch at the NASA Glenn Research Center has been involved in the development and application of critical health management technologies for aerospace propulsion systems for almost two decades. These technologies have been applied in real-time and non-real-time analyses and have included conventional and non-conventional techniques. The Branch has recently broadened its focus to include propellant and reactant feed systems, power distribution systems, and environmental control systems. While each subsystem has its own unique constraints and issues, there also exists an underlying commonality in the development and implementation of the their health management systems. Each subsystem requires that ...

- the health management system developers acquire extensive knowledge and that they develop an intimate understanding of the subsystem's operation;
- health management system development take place in parallel with development of the monitored system to achieve optimal effectiveness;
- techniques in addressing optimum sensor placement, fault detection and isolation and information fusion, be developed and implemented based upon the unique constraint implied by the monitored system itself and imposed by the application or mission;
- each health management system implemented be verified and validated to the satisfaction of the systems' designers and developers.

NASA Glenn's has a rich legacy of health management research in both aeronautics and space to draw upon when developing Integrated Health Management Systems for future exploration missions.

Ref: Garg, S., "Controls and Health Management Technologies for Intelligent Aerospace Propulsion Systems", 42nd AIAA Aerospace Sciences Meeting and Exhibit, AIAA-2004-0949, January 2004.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE October 2005	3. REPORT TYPE AND DATES COVERED Technical Memorandum		
4. TITLE AND SUBTITLE Meeting the Challenges of Exploration Systems: Health Management Technologies for Aerospace Systems With Emphasis on Propulsion		5. FUNDING NUMBERS WBS 400147.04.03.02.03.01		
6. AUTHOR(S) Kevin J. Melcher, T. Shane Sowers, and William A. Maul				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration John H. Glenn Research Center at Lewis Field Cleveland, Ohio 44135-3191		8. PERFORMING ORGANIZATION REPORT NUMBER E-15380		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, DC 20546-0001		10. SPONSORING/MONITORING AGENCY REPORT NUMBER NASA TM-2005-214026		
11. SUPPLEMENTARY NOTES Prepared for the First International Forum on Integrated System Health Engineering and Management in Aerospace sponsored by NASA Ames Research Center and NASA Marshall Space Flight Center, Napa, California, November 7-10, 2005. Kevin J. Melcher, NASA Glenn Research Center, e-mail: kevin.melcher@nasa.gov; and T. Shane Sowers and William A. Maul, Analex Corporation, 1100 Apollo Drive, Brook Park, Ohio 44142. Responsible person, Kevin J. Melcher, organization code RIC, 216-433-3743.				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unclassified - Unlimited Subject Categories: 20 and 12 Available electronically at http://gltrs.grc.nasa.gov This publication is available from the NASA Center for AeroSpace Information, 301-621-0390.		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) The constraints of future Exploration Missions will require unique Integrated System Health Management (ISHM) capabilities throughout the mission. An ambitious launch schedule, human-rating requirements, long quiescent periods, limited human access for repair or replacement, and long communication delays all require an ISHM system that can span distinct yet interdependent vehicle subsystems, anticipate failure states, provide autonomous remediation, and support the Exploration Mission from beginning to end. NASA Glenn Research Center has developed and applied health management system technologies to aerospace propulsion systems for almost two decades. Lessons learned from past activities help define the approach to proper ISHM development: sensor selection—identifies sensor sets required for accurate health assessment; data qualification and validation—ensures the integrity of measurement data from sensor to data system; fault detection and isolation—uses measurements in a component/subsystem context to detect faults and identify their point of origin; information fusion and diagnostic decision criteria—aligns data from similar and disparate sources in time and use that data to perform higher-level system diagnosis; and verification and validation—uses data, real or simulated, to provide variable exposure to the diagnostic system for faults that may only manifest themselves in actual implementation, as well as faults that are detectable via hardware testing. This presentation describes a framework for developing health management systems and highlights the health management research activities performed by the Controls and Dynamics Branch at the NASA Glenn Research Center. It illustrates how those activities contribute to the development of solutions for Integrated System Health Management.				
14. SUBJECT TERMS Health management; Sensor selection; Data validation; Fault detection; Fault isolation; Information fusion; Verification and validation			15. NUMBER OF PAGES 15	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT	

